


APPLICABLE P.C.B DIMENSION(REF.)

APPLICABLE F.P.C DIMENSION(REF.)

				UNLESS OTHERWISE SPECIFIED TOLERANCES ARE		客户图		北极大电子科技有限公司				
						Drawings		BEIJIDA ELECTRONICS TECHNOLOGY CO. LIMITED				
				X. ±0.20		APPROVED		DATE		COMPUTER NO		
				X.X ±0.10						101025-X0XXX0-HF		
				X.XXX		CHECKED		DATE		NAME		
				ANG. ±0°30'		陈天舒		2012-05-24		FPC0.5-7代H1.2后掀式(2/2)本色		
				UNIT		DRAWN		DATE		SIZE	SCALE	REV
				MM		张运兴		2012-05-24		A4	10:1	B
▲		增加无卤标识		张运兴		2015-12-07						
SER		REVISIONS		CHK		DATE						




→ User Direction of Unreeling

Carrier Length:13M Pitch:8mm								
Number of Connectors:1500PCS/Reel(13M)								
NO.of Contacts(n)	A0	A1	B0	B1	K0	F	W	Package
4	5.15	4.20	5.30	2.60	2.60	7.5	16.0	2000PCS/Roll
6			6.30	3.60				
7			6.80	4.10				
8			7.30	4.60				
10			8.30	5.60				
12			9.30	6.60				
15	10.80	8.10	11.5	24.0				
24	15.30	12.60						

PART NO. SPECIFICATION:101025-20XXX0

1:管装	PIN数	1:雾锡
2:卷装		2:亮锡
3:袋装		3:镀金1u'
4:其他		5:镀金3u'
		6:半金锡



				UNLESS OTHERWISE SPECIFIED TOLERANCES ARE	包装图 Packaging Figure	北极大电子科技有限公司 BEIJIDA ELECTRONICS TECHNOLOGY CO. LIMITED				
				X.	APPROVED	DATE	COMPUTER NO			
				X.X ±0.1			101025-20XXX0			
				X.XX ±0.05	CHECKED	DATE	NAME			
				X.XXX	陈天舒	2011-10-11	FPC0.5-7代H1.2后掀式卷装图			
				ANG. ±0°30'	DRAWN	DATE	SIZE	SCALE	REV	
SER	REVISIONS	CHK	DATE	UNIT	张运兴	2011-10-11	A4	10:1	A	
				MM						